

Productname : OIL DRIP STOP
Ref.Nr.: BB13010-3-311007
Creationdate : 31.10.07
Replaces: 23.10.07

1. IDENTIFICATION OF PRODUCT AND COMPANY

Productname : OIL DRIP STOP
Bulk

Application : Additives

Company : CRC Industries Europe bvba
Touwslagerstraat 1
9240 ZELE
Belgium
Tel.: (+32)(0)52/456011
Fax: (+32)(0)52/450034
E-mail : hse@crcind.com

In case of emergency : (+32) (0)52/45 60 11

Subsidiaries		Tel	Fax
CRC Industries Finland	Asemanrinne 13, 08500 Lohja AS	(+358)(0)19/32921	(+358)(0)19/383676
CRC Industries France	12, Bld des Martyrs de Chateaubriant F-95102 Argenteuil Cédex	(+33)(0)1/34112000	(+33)(0)1/34110996
CRC Industries Deutschland	Südring 9, 76473 Iffezheim	(+49)(0)7229/3030	(+49)(0)7229/303266
CRC Industries Iberia	Gremio del cuero S/N, 40195 Segovia	(+34)921/427546	(+34)921/436270
CRC Industries Sweden	Kryptongatan 14, 43153 Mölndal	(+46)(0)31/7068480	(+46)(0)31/273991

2. HAZARD IDENTIFICATION

Health and Safety : According to EU-directive 99/45/EC not classified

Environment : According to EU-directive 99/45/EC not classified

3. COMPOSITION AND INFORMATION ON COMPONENTS

Hazardous ingredient	CAS-nr	EINECS	w/w %	symbol	R-phrases*	Notes
sulphur dioxide	7446-09-5	231-195-2	<0.5	T	23-34	B
mineral oil (IP 346 DMSO extract < 3%)	-	-	60-100	-	-	B
styrenic polymer	(polymer)		1-5		53	
Explanation notes						
B : substance with national established workplace exposure limit						

(* Explanation risk-phrases : see chapter 16)



Productname : OIL DRIP STOP
Ref.Nr.: BB13010-3-311007

Creationdate : 31.10.07
Replaces: 23.10.07

4. FIRST AID MEASURES

General Advice : The usual precautions for handling chemicals should be observed
If any symptoms should occur, seek medical advice.

Contact with eyes : If substance has got into eyes, immediately wash out with plenty of water

Contact with skin : Wash with water and soap.

Inhalation : Fresh air, keep warm and at rest.

Ingestion : If swallowed accidentally, do not induce vomiting and seek medical advice.

5. FIRE-FIGHTING MEASURES

Flash point (without propellant): > 130 °C

Explosion limits : upper limit : not available

lower limit : not available

Extinguishing media : foam, carbon dioxide or dry agent

Fire-fighting procedures : Keep container(s) exposed to fire cool, by spraying with water

6. ACCIDENTAL RELEASE MEASURES

Personal precautions : Ensure adequate ventilation

Environmental precautions : Do not allow to enter public sewers and watercourses

Cleaning methods : Absorb spillage in suitable inert material

7. HANDLING AND STORAGE

Handling procedures : The usual precautions for handling chemicals should be observed

Storage procedures : Keep in a cool, dry, well ventilated place
Keep out of reach of children.

8. EXPOSURE CONTROL AND PERSONAL PROTECTION

Control procedures : Ensure adequate ventilation

Personal protection : It is advisable to take precautions to avoid contact with skin and eyes when handling the product.

9. PHYSICAL AND CHEMICAL PROPERTIES (for aerosols without propellant)

Apperance : physical state : viscous liquid

colour : amber

odour : Characteristic odour



Productname :	OIL DRIP STOP	Creationdate :	31.10.07
Ref.Nr.:	BB13010-3-311007	Replaces:	23.10.07

Boiling point/range :	not available
Relative density :	0.885 g/cm ³ (@ 20°C)
pH :	not applicable
Vapour pressure :	not available
Relative vapour density :	not available
Solubility in water :	Insoluble in water
Flash point :	> 130 °C
Auto-ignition :	> 200 °C
Viscosity :	145 mPas (@ 40°C)
Evaporation rate :	not applicable

10. STABILITY AND REACTIVITY

Conditions to be avoided :	Avoid overheating
Materials to be avoided :	Strong oxidising agent
Hazardous decomposition compounds :	CO,CO ₂

11. TOXICOLOGICAL INFORMATION

Other information:	No information available
---------------------------	--------------------------

12. ECOLOGICAL INFORMATION

Do not allow to enter public sewers and watercourses

13. WASTE DISPOSAL

Product :	Do not empty into drains. Disposal should be in accordance with local, state or national legislation
------------------	---------------------------------------------------------------------------------------------------------

14. TRANSPORT

Road/Rail - ADR/RID :	---- Not classified
Sea - IMDG :	---- Not classified
Air - IATA/ICAO :	---- Not classified

15. REGULATORY INFORMATION

Safety-phrase(s) :	S2: Keep out of the reach of children. S23: Do not breathe gas/fumes/vapour/spray (appropriate wording to be specified by the manufacturer). S24/25: Avoid contact with skin and eyes.
---------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

According to EU-directive 99/45/EC not classified



Productname :	OIL DRIP STOP	Creationdate :	31.10.07
Ref.Nr.:	BB13010-3-311007	Replaces:	23.10.07

16. OTHER INFORMATION

This product should be stored, handled and used in accordance with good industrial hygiene practices and in conformity with any legal regulation.

The information contained herewith is based on the present state of our knowledge and is intended to describe our products from the point of view of safety requirements. It does not guarantee any specific properties.

Apart from any fair dealing for purposes of study, research and review of health, safety and environmental risks, no part of these documents may be reproduced by any process without written permission from CRC.

***Explanation risk-phrases:**

R36/38: Irritating to eyes and skin.

R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

R53: May cause long-term adverse effects in the aquatic environment.

This Material Safety Data Sheet may already have been revised at this moment for reason such as legislation, availability of components and newly acquired experiences. The latest and only valid version of this Material Safety Data Sheet will be sent to you upon simple request or can be found on our website : www.crcind.com. We recommend you to register on this website for this product so you will be able to receive any future updated version automatically.