

Productname : RIGID SEAL
Ref.Nr.: BB17690-3-311007
Creationdate : 31.10.07
Replaces: 29.03.04

1. IDENTIFICATION OF PRODUCT AND COMPANY

Productname : RIGID SEAL
Bulk

Application : Adhesives

Company : CRC Industries Europe bvba
Touwslagerstraat 1
9240 ZELE
Belgium
Tel.: (+32)(0)52/456011
Fax: (+32)(0)52/450034
E-mail : hse@crcind.com

In case of emergency : (+32) (0)52/45 60 11

Subsidiaries		Tel	Fax
CRC Industries Finland	Asemanrinne 13, 08500 Lohja AS	(+358)(0)19/32921	(+358)(0)19/383676
CRC Industries France	12, Bld des Martyrs de Chateaubriant F-95102 Argenteuil Cédex	(+33)(0)1/34112000	(+33)(0)1/34110996
CRC Industries Deutschland	Südring 9, 76473 Iffezheim	(+49)(0)7229/3030	(+49)(0)7229/303266
CRC Industries Iberia	Gremio del cuero S/N, 40195 Segovia	(+34)921/427546	(+34)921/436270
CRC Industries Sweden	Kryptongatan 14, 43153 Mölndal	(+46)(0)31/7068480	(+46)(0)31/273991

2. HAZARD IDENTIFICATION

Health and Safety : R36/37/38: Irritating to eyes, respiratory system and skin.

3. COMPOSITION AND INFORMATION ON COMPONENTS

Hazardous ingredient	CAS-nr	EINECS	w/w %	symbol	R-phrases*	Notes
monoalkyl or monoaryl or monoalkyaryl esters of methacrylic acid	-	-	>25	Xi	36/37/38	

(* Explanation risk-phrases : see chapter 16)

4. FIRST AID MEASURES

General Advice : If symptoms persist always call a doctor
Contact with eyes : If substance has got into eyes, immediately wash out with water for at least 15 minutes
Seek medical advice



Productname : RIGID SEAL
Ref.Nr.: BB17690-3-311007

Creationdate : 31.10.07
Replaces: 29.03.04

Contact with skin : Remove contaminated clothing immediately and drench affected skin with plenty of water. Then wash with soap and water

Inhalation : Fresh air, keep warm and at rest.

Ingestion : Do not induce vomiting
Give water or milk to drink
Never give anything by mouth to an unconscious person
Seek immediate medical attention

5. FIRE-FIGHTING MEASURES

Flash point (without propellant): > 100 °C

Extinguishing media : foam, carbon dioxide or dry agent

Fire-fighting procedures : Keep container(s) exposed to fire cool, by spraying with water
Substance evolves toxic fumes, wear self-contained breathing apparatus

Unusual exposure hazard : May give off noxious and toxic fumes in a fire

6. ACCIDENTAL RELEASE MEASURES

Personal precautions : Ensure adequate ventilation
Avoid contact with skin and eyes.

Environmental precautions : Do not allow to enter public sewers and watercourses

Cleaning methods : Absorb spillage in suitable inert material

7. HANDLING AND STORAGE

Handling procedures : Ensure adequate ventilation
Keep away from heat and sources of ignition
Do not breathe aerosols or vapours.
Avoid contact with skin and eyes.
Eyewash bottles should be available

Storage procedures : Keep in a cool, dry place
Store at ambient temperature
(< 28°C)

8. EXPOSURE CONTROL AND PERSONAL PROTECTION

Control procedures : Ensure adequate ventilation

Personal protection :

hands and skin : Wear suitable protective gloves

eyes : Wear safety goggles.



Productname : RIGID SEAL
Ref.Nr.: BB17690-3-311007

Creationdate : 31.10.07
Replaces: 29.03.04

9. PHYSICAL AND CHEMICAL PROPERTIES (for aerosols without propellant)

Apperance : physical state : viscous liquid
odour : Characteristic odour
Boiling point/range : not available
Relative density : 1.1 g/cm³ (@ 20°C)
pH : 4-6
Vapour pressure : < 5 mbar (@ 20°C)
Flash point : > 100 °C
Auto-ignition : > 380 °C
Viscosity : 500-100000 mPas

10. STABILITY AND REACTIVITY

Conditions to be avoided : Avoid overheating
Materials to be avoided : Reacts with acids
Strong oxidising agent
Strong reducing agent
Hazardous decomposition compounds : nitrogen and carbon oxides
methacrylic acid

11. TOXICOLOGICAL INFORMATION

Inhalation : Irritating to respiratory system (R37)
Skin contact : Irritating to skin
Eye contact : Irritating to eyes

12. ECOLOGICAL INFORMATION

Do not allow to enter public sewers and watercourses

13. WASTE DISPOSAL

Product : Do not empty into drains.
Disposal should be in accordance with local, state or national legislation

14. TRANSPORT

Road/Rail - ADR/RID : ---- Not classified
Sea - IMDG : ---- Not classified
Air - IATA/ICAO : ---- Not classified



Productname : RIGID SEAL
Ref.Nr.: BB17690-3-311007

Creationdate : 31.10.07
Replaces: 29.03.04

15. REGULATORY INFORMATION

Warning symbol(s) : Xi

Risk-phrase(s) : R36/37/38: Irritating to eyes, respiratory system and skin.

Safety-phrase(s) : S2: Keep out of the reach of children.
S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S28: After contact with skin, wash immediately with plenty of . . . (to be specified by the manufacturer).
S46: If swallowed, seek medical advice immediately and show this container or label.

16. OTHER INFORMATION

This product should be stored, handled and used in accordance with good industrial hygiene practices and in conformity with any legal regulation.

The information contained herewith is based on the present state of our knowledge and is intended to describe our products from the point of view of safety requirements. It does not guarantee any specific properties.

Apart from any fair dealing for purposes of study, research and review of health, safety and environmental risks, no part of these documents may be reproduced by any process without written permission from CRC.

***Explanation risk-phrases:** R36/37/38: Irritating to eyes, respiratory system and skin.

This Material Safety Data Sheet may already have been revised at this moment for reason such as legislation, availability of components and newly acquired experiences. The latest and only valid version of this Material Safety Data Sheet will be sent to you upon simple request or can be found on our website : www.crcind.com. We recommend you to register on this website for this product so you will be able to receive any future updated version automatically.