

Productname : EXHAUST REPAIR GUM **Creationdate :** 23.11.10
Ref.Nr.: BB15550-3-231110 **Replaces:** 08.06.10

1. IDENTIFICATION OF PRODUCT AND COMPANY

Productname : EXHAUST REPAIR GUM
Bulk

Application : Reparation of exhaust systems

Company : CRC Industries Europe bvba
Touwslagerstraat 1
9240 ZELE
Belgium
Tel.: (+32)(0)52/456011
Fax: (+32)(0)52/450034
E-mail : hse@crcind.com

In case of emergency : (+32) (0)52/45 60 11

Subsidiaries		Tel	Fax
CRC Industries Finland	Asemanrinne 13, 08500 Lohja AS	(+358)(0)19/32921	(+358)(0)19/383676
CRC Industries France	12, Bld des Martyrs de Chateaubriant F-95102 Argenteuil Cédex	(+33)(0)1/34112000	(+33)(0)1/34110996
CRC Industries Deutschland	Südring 9, 76473 Iffezheim	(+49)(0)7229/3030	(+49)(0)7229/303266
CRC Industries Iberia	Gremio del cuero S/N, 40195 Segovia	(+34)921/427546	(+34)921/436270
CRC Industries Sweden	Kryptongatan 14, 43153 Mölndal	(+46)(0)31/7068480	(+46)(0)31/273991

2. HAZARD IDENTIFICATION

Other hazards : According to EU-directive 99/45/EC not classified
Concentrations of hazardous ingredients are below the
limits for classification as laid down in the European
directive 99/45.

3. COMPOSITION AND INFORMATION ON COMPONENTS

Preparation of sodiummetasilicate, water and additives

4. FIRST AID MEASURES

General Advice : The usual precautions for handling chemicals should
be observed
If any symptoms should occur, seek medical advice.

Contact with eyes : If substance has got into eyes, immediately wash out
with water for at least 15 minutes
Seek medical advice



Productname :	EXHAUST REPAIR GUM	Creationdate :	23.11.10
Ref.Nr.:	BB15550-3-231110	Replaces:	08.06.10

Contact with skin :	Wash with water and soap. Seek medical attention if irritation persists
Inhalation :	Inhalation is unlikely to occur Fresh air, keep warm and at rest.
Ingestion :	If swallowed accidentally, do not induce vomiting and seek medical advice.

5. FIRE-FIGHTING MEASURES

Flash point (without propellant):	Not available.
Explosion limits : upper limit :	Not applicable.
lower limit :	Not applicable.
Extinguishing media :	foam, carbon dioxide or dry agent
Unusual exposure hazard :	None

6. ACCIDENTAL RELEASE MEASURES

Personal precautions :	It is advisable to take precautions to avoid contact with skin and eyes when handling the product.
Environmental precautions :	Do not allow to enter public sewers and watercourses
Cleaning methods :	Sweep or shovel-up spillage and remove to a safe place Flush spill area with copious amounts of water

7. HANDLING AND STORAGE

Handling procedures :	The usual precautions for handling chemicals should be observed
Storage procedures :	Keep in a cool, dry, well ventilated place (15-30°C) Keep out of reach of children.

8. EXPOSURE CONTROL AND PERSONAL PROTECTION

Personal protection :	It is advisable to take precautions to avoid contact with skin and eyes when handling the product. Ensure adequate ventilation
hands and skin :	Wear suitable protective gloves (neoprene) (nitrile)

9. PHYSICAL AND CHEMICAL PROPERTIES (for aerosols without propellant)

Apperance : physical state :	Paste.
colour :	Grey.



Productname :	EXHAUST REPAIR GUM	Creationdate :	23.11.10
Ref.Nr.:	BB15550-3-231110	Replaces:	08.06.10

odour :	Odorless.
Boiling point/range :	Not applicable.
Boiling point/range :	Not applicable.
Relative density :	1.99 g/cm ³ (@ 20°C).
pH :	Not available.
Vapour pressure :	Not applicable.
Relative vapour density :	Not applicable.
Solubility in water :	Soluble in water
Flash point :	Not available.
Auto-ignition :	> 200 °C
Viscosity :	Not applicable.
Evaporation rate :	Not applicable.

10. STABILITY AND REACTIVITY

Conditions to be avoided :	Avoid overheating
Materials to be avoided :	Oxidising agent Reacts with acids and alkalines.
Hazardous decomposition compounds :	No hazardous decomposition products known

11. TOXICOLOGICAL INFORMATION

Skin contact :	Prolonged skin contact will result in defatting of the skin
Eye contact :	May cause irritation.

12. ECOLOGICAL INFORMATION

No information available
Do not allow to enter public sewers and watercourses

13. WASTE DISPOSAL

Disposal should be in accordance with local, state or national legislation

14. TRANSPORT

Road/Rail - ADR/RID :	---- Not classified
Sea - IMDG :	---- Not classified
Air - IATA/ICAO :	---- Not classified



Productname :	EXHAUST REPAIR GUM	Creationdate :	23.11.10
Ref.Nr.:	BB15550-3-231110	Replaces:	08.06.10

15. REGULATORY INFORMATION

Safety-phrase(s) : S2: Keep out of the reach of children.
S24/25: Avoid contact with skin and eyes.

According to EU-directive 99/45/EC not classified

16. OTHER INFORMATION

This product should be stored, handled and used in accordance with good industrial hygiene practices and in conformity with any legal regulation.

The information contained herewith is based on the present state of our knowledge and is intended to describe our products from the point of view of safety requirements. It does not guarantee any specific properties.

Apart from any fair dealing for purposes of study, research and review of health, safety and environmental risks, no part of these documents may be reproduced by any process without written permission from CRC.

REVISIONS IN CHAPTRE : 8

This Material Safety Data Sheet may already have been revised at this moment for reason such as legislation, availability of components and newly acquired experiences. The latest and only valid version of this Material Safety Data Sheet will be sent to you upon simple request or can be found on our website : www.crcind.com. We recommend you to register on this website for this product so you will be able to receive any future updated version automatically.